

J.T.T. Tech Co., Ltd

1214-1216 M.6 Sukumwit Rd, Samrongnua, Muang, Samutprakarn, Thailand 10270

Tel: (662)754-1861,084667-5818 Fax: (662)754-1471 E-mail: jtt-tech@hotmail.com www.jtt-tech.net

เครื่องอัดกระดา**ย**แนวตั้ง

JL-L50 Waste paper baler physical machine







Usage and Feature

- This machine is mainly used in the packaging and recycling industry, it is used for packaging of waste paper from printing and carton factories, also used for packaging waste plastic, both new and old clothe, grass and straw etc.
- The machine has a wide range of application, and the electro-hydraulic valve control makes the operation easy and the maintenance convenient.
- The volume of the packaged waste is reduced, so that transportation costs are reduced, and easy to handle and process.
- This machine adopts single door and cushioned door design, automatic pressure relief is safer and more convenient, it is upgrade of traditional baler.
- The machine has automatic pressure regulating function, which can meet the pressure requirements of different materials.
- Double side guide presser plate design, effectively protect the cylinder and increase it's service life.
- The machine uses high precision oil cylinder and UN series oil seal
- The machine with automatic packaging and automatic output function.

Specification

Pressure (แรงอัค):	500kn (50ton)
Feeding gate size (ขนาดกล่องใส่กระดาษ):	L1100 x W500 mm
Bale size (ขนาดก้อนอัด)	W1100 x H700 x L(300~1000)mm
Bale Weight (น้ำหนักก้อนอัด)	250-300kgs.
Power (กำลังไฟ)	11kw 380V50HZ
Working Pressure	10 Mpa
No. of Binding Wire (จำนวนลวคมัคก้อนอัค)	3-5
System (ระบบ)	กึ่งอัตโนมัติ (อัคกระคาษอัตโนมัติ แต่มัคลวคเอง)
Machine Dimension (ขนาดเครื่อง)	1480 x 895 x 3865mm
Weight Machine (น้ำหนักเครื่อง)	~2000kg.
Tank Hydraulic Oil	400 L.






Page 2/2





ตู้คอนโทรล แผงวงจรควบคุม การทำงานของ เครื่อง



ปุ่มควบคุม การทำงานของ เครื่อง



ภาพตัวอย่าง การป้อนสิ่งของ เข้าห้องเครื่องอัด



ภาพตัวอย่าง เศษแผ่นที่ อัดก้อนแล้ว

