



บริษัท เจ.ที.ที. เทคโนโลยี จำกัด (J.T.T. Tech Co., Ltd)

1214-1216 M.6 Sukumvit Rd, Samrongnua, Muang, Samutprakarn, Thailand 10270

1214-1216 ม.6 ถ.สุขุมวิท ต.ตำโงเหนือ อ.เมือง จ.สมุทรปราการ 10270

Tel : (662)754-1860-1 Fax : (662)754-1471 E-mail : jtt-tech@hotmail.com

The main technical parameters of the Z273/230-100 high-speed type of waste paper balers



Maximum Nominal thrust: 1000KN (100t)
Main hydro-cylinder Model : 230/160-230
Shut-cylinder Model : 180/130-22
Push wire cylinder: 80/50-83
Shredded cylinder : 80/35-10
Master cylinder seals : MPI products
Sena Rui combination of high and low voltage, low noise vane pump 1 sets
Host power : 30KW 1 station
Button-machine power : 1.5 KW

32-dimeter Huade hydraulic + 1set of oil circuit blocks and auxiliary parts brand Beijing Hua

Cooling device: water
Maximum working pressure: 25Mpa
Hopper Size : 1100MM X 1800MM
Bale Size : Width: 1100MM X: 900MM X adjustable length
Mass weight: 400-450kg. /m3
The bundling : 4 Article

Electrical system adopts Mitsubishi touch screen PLC, touch screen operation control strong electric control: Chint + Delixi
Control mode : fully automatic, semi-automatic, manual
Body size : W4500 x L9000 x H2600 mm
Weight: 16,000kg

ภาพตัวอย่างเครื่อง



